



UNICONTROL

Automatiza el Presente, Controla el Futuro.



Cloud Computing



Comunicación industrial



Cajas para electrónica



Accesorios para el armario de control



Conector



Cajas de conexión y carcasas vacías

Nuestras Marcas



Arrancadores de motor y
equipos de conmutación
electrónicos



Fuentes de alimentación



Dispositivos de conmutación
de seguridad y sensores



Acondicionadores de
señal/transductores de
potencia



Filtros CEM



Módulos de redundancia



Protección contra
sobretensiones

Nuestras Marcas



CONTRINEX



HTM
SENSORS



YPC



Nuestras Marcas



Autonics





- **Componentes que pueden conformar un gabinete de control**

- Portafusibles



- Conectores



- Fuentes de poder



- Relevadores



- Guarda motores



- Desconectores termomagnéticos.





- **Componentes que pueden conformar un gabinete de control**

- Módulos de expansión



- Transformadores de control



- Torretas, botones, selectores.



- Pantallas HMI



- Cable y glándulas



- Gabinetes.



Nuestros Productos



- **Componentes que pueden conformar un gabinete de control**


- Luces LED indicadoras



- Medidores de energía



- Drivers AC y DC



- Convertidores de señal



- Transductores



- Protector contra sobretensiones y rayos



Nuestros Productos



- **Sensores (resistentes a altas temperaturas, a la corrosión y a impactos).**

- Temperatura



- Ópticos



- Inductivos



- De fibra óptica



- Laser



- Difusos



- Capacitivos




- Ultrasónicos



- **Componentes neumáticos e hidráulicos.**

- Conectores y mangueras



- Filtros reguladores



- Pistones fabricados a medida



- Válvulas y manifolds



- Finales de carrera



- Manómetros y selectores



Nuestros Productos



• Componentes de seguridad y proceso

• Cortinas de seguridad



• Interruptores de puertas



• Controladores de temperatura



• Controles de seguridad



• Selectores de llaves de seguridad



• SSR





General Purpose Robots

(3 kg – 1500 kg)



Palletizing robots

(180 kg – 700 kg)



Arc welding robots

(1.4m – 2.1m)



Medical & Pharma robots

(Meets ISO class 5 (Fed-class 100))





Delta Robots

(300 mm – 650mm)



SCARA Cobots

(Dual Arm 785mm reach)



Sealing robots

(1.5m – 2.88m)



Explosion-proof Paint robots

(1,240mm – 3,100mm)



Robots Industriales

Kawasaki Robot Lineup Overview



SMALL TO MEDIUM PAYLOAD ROBOTS - up to 80 kg R SERIES

RS003N / RS005N Payload: 3 kg / 5 kg Axes: 6 Reach: 620 mm / 705 mm Repeatability: ±0.02 mm	RS005L / RC005L Payload: 5 kg Axes: 6 Reach: 903 mm Repeatability: ±0.03 mm	RS006L Payload: 6 kg Axes: 6 Reach: 1,650 mm Repeatability: ±0.03 mm	RS007N / 007L Payload: 7 kg Axes: 6 Reach: 730 / 930 mm Repeatability: ±0.02 / 0.03 mm	RS013N Payload: 13 kg Axes: 6 Reach: 1,460 mm Repeatability: ±0.03 mm	RS015X Payload: 15 kg Axes: 6 Reach: 2,150 mm Repeatability: ±0.06 mm	RS020N Payload: 20 kg Axes: 6 Reach: 1,725 mm Repeatability: ±0.04 mm	RS025N Payload: 25 kg Axes: 6 Reach: 1,885 mm Repeatability: ±0.04 mm	RS030N / 050N / 080N Payload: 30 / 50 / 80 kg Axes: 6 Reach: 2,100 mm Repeatability: ±0.06 mm	YF002N Payload: 2 kg Axes: 4 Reach: 600 mm Repeatability: ±0.04 mm	YF003N Payload: 3 kg Axes: 4 Reach: 1,300 mm Repeatability: ±0.1 mm

LARGE PAYLOAD ROBOTS - up to 300 kg Z SERIES

ZK130U / 165U / 200S Payload: 130 / 165 / 200 kg Axes: 6 Reach: 2,651 mm Repeatability: ±0.3 mm	ZK130L Payload: 130 kg Axes: 6 Reach: 2,951 mm Repeatability: ±0.3 mm	ZK300S Payload: 300 kg Axes: 6 Reach: 2,501 mm Repeatability: ±0.3 mm	ZT130U / 165U / 200S Payload: 130 / 165 / 200 kg Axes: 6 Reach: 3,230 mm Repeatability: ±0.3 mm

EXTRA LARGE PAYLOAD ROBOTS - up to 1,500 kg M SERIES

MK350L Payload: 350 kg Axes: 6 Reach: 3,018 mm Repeatability: ±0.5 mm	MK420L Payload: 420 kg Axes: 6 Reach: 2,778 mm Repeatability: ±0.5 mm	MK500N / 700N Payload: 500 / 700 kg Axes: 6 Reach: 2,540 mm Repeatability: ±0.5 mm	MG15HL Payload: 1,500 kg Axes: 6 Reach: 4,005 mm Repeatability: ±0.1 mm

HOLLOW WRIST ARC WELDING ROBOTS BA SERIES

BA006N Payload: 6 kg Axes: 6 Reach: 1,455 mm Repeatability: ±0.06 mm	BA006L Payload: 6 kg Axes: 6 Reach: 2,036 mm Repeatability: ±0.08 mm	BA013N Payload: 13 kg Axes: 6 Reach: 1,492 mm Repeatability: ±0.04 mm	BA013L Payload: 13 kg Axes: 6 Reach: 2,093 mm Repeatability: ±0.06 mm

SPOT WELDING ROBOTS B SERIES

BX100S Payload: 100 kg Axes: 6 Reach: 1,634 mm Repeatability: ±0.06 mm	BX100N Payload: 100 kg Axes: 6 Reach: 2,200 mm Repeatability: ±0.06 mm	BX100L / 165L / 200L Payload: 100 / 165 / 200 kg Axes: 6 Reach: 2,597 mm Repeatability: ±0.06 mm	BX130X / 200X Payload: 130 / 200 kg Axes: 6 Reach: 2,991 / 3,412 mm Repeatability: ±0.06 / ±0.07 mm	BX165N Payload: 165 kg Axes: 6 Reach: 2,325 mm Repeatability: ±0.06 mm	BX250L / 300L Payload: 250 / 300 kg Axes: 6 Reach: 2,812 mm Repeatability: ±0.07 mm	BT200L Payload: 200 kg Axes: 6 Reach: 3,151 mm Repeatability: ±0.08 mm

PALLETIZING ROBOTS - up to 700 kg

RD080N Payload: 80 kg Axes: 5 Reach: 2,100 mm Repeatability: ±0.07 mm	CP180L / 300L / 500L / 700L Payload: 180/300/500/700 kg Axes: 4 Reach: 3,255 mm Repeatability: ±0.5 mm

PAINTING ROBOTS - explosion-proof K SERIES

KJ165 FLOOR / WALL Payload: Wrist 8 kg, Arm 5 kg Axes: 6 Reach: 1,545 mm Repeatability: ±0.15 mm	KJ194 FLOOR / SHELF / WALL Payload: Wrist 15 kg, Arm 25 kg Axes: 6 Reach: 1,940 mm Repeatability: ±0.5 mm	KJ244 FLOOR / SHELF / WALL Payload: Wrist 15 kg, Arm 25 kg Axes: 6 Reach: 2,490 mm Repeatability: ±0.5 mm	KJ264 FLOOR / SHELF / WALL Payload: Wrist 15 kg, Arm 25 kg Axes: 6 Reach: 2,640 mm Repeatability: ±0.5 mm	KJ314 Payload: Wrist 15 kg, Arm 25 kg Axes: 7 Reach: 3,100 mm Repeatability: ±0.5 mm

MEDICAL & PHARMACEUTICAL ROBOTS

MC004N Payload: 4 kg Axes: 6 Reach: 506 mm Repeatability: ±0.05 mm	MS005N Payload: 5 kg Axes: 7 Reach: 660 mm Repeatability: ±0.1 mm

Kawasaki Robot

Note: Clean room robot information available separately.

KawasakiRobotics.com

Kawasaki
Powering your potential

Robots Colaborativos (Cobots)



Rainbow Robotics
Collaborative Robot
RB Series



World's first
NSF-certified cobot
RB-N Series





HUB02



RB Servicio






RB-Y1







RB-Y1





- Componentes de delimitación perimetral y protección






Integracion - Ensamblas





Soluciones Unicontrol


Automatiza el presente, controla el futuro.



Soluciones
Unicontrol



Prensas y
componentes de
seguridad,
aplicaciones
neumáticas,
hidráulicas.



Agradecemos la oportunidad de brindar
nuestros productos y servicios y ser parte de
sus soluciones de control



UNICONTROL

CONTACTO:

Miguel Bustamante – Ventas

Cel: 6642489496 / miguel@unicontrol.mx

Alejandro Dominguez – Proyectos

Cel: 6642489501 / alejandro@unicontrol.mx